



Eastern Research Group  
601 Keystone Park Drive  
Suite 700  
Morrisville, NC 27560

January 12, 2018

Mr. Dave Shelow & Ms Fran Verhalen  
U.S. Environmental Protection Agency - OAQPS  
109 T.W. Alexander Drive, Mail Code: C304-06  
RTP, NC 27709  
Project Name: Chloroprene

Dear Mr. Dave Shelow & Ms Fran Verhalen,

This report contains the analytical results for the sample(s) received under chain(s) of custody by Eastern Research Group on 01/02/18 09:35 through 12/29/17 12:00.

The test results in this report are in compliance with NELAC accreditation requirements for the certified parameters. All analyses were performed as described in the US EPA-approved QAPP, under the contract for UATMP, NATTS, CSATAM, PAMS and NMOC support (US EPA Contract No. EP-D-14-030). This cover page is an integral part of this report, and any exceptions or comments are noted on the last page.

Release of the data contained in this data package and in the data submitted in the electronic data deliverable, has been authorized by the Program Manager, or the Program Manager's designee as verified by the following signature.

The issuance of the final Certificate of Analysis takes precedence over any previous Report. If you have any questions, please contact me at 919-468-7924.

Sincerely,

Julie Swift  
Program Manager  
[julie.swift@erg.com](mailto:julie.swift@erg.com)

The information contained in this report and its attachment(s) are intended only for the use of the individual to whom it is addressed and may contain information that is privileged, confidential, or exempt from disclosure. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this report is strictly prohibited. If you have received this report in error, please notify [julie.swift@erg.com](mailto:julie.swift@erg.com) and delete the report without retaining any copies.



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

**ATTN:** Mr. Dave Shelow & Ms Fran Verhalen

**PHONE:** (919) 541-3776 **FAX:** -

**FILE #:** 0344.00

**REPORTED:** 01/12/18 11:32

**SUBMITTED:** 01/02/18 to 12/29/17

**AQS SITE CODE:**

**SITE CODE:** Chloroprene

### ANALYTICAL REPORT FOR SAMPLES

<u>SampleName</u>	<u>LabNumber</u>	<u>Matrix</u>	<u>Sampled</u>	<u>Received</u>
Fifth Ward Elementary School	7121504-01	Air	12/13/17 14:51	12/15/17 10:15
Levee C1	7121504-02	Air	12/13/17 14:48	12/15/17 10:15
Levee C2	7121504-03	Air	12/13/17 14:48	12/15/17 10:15
238 Chad Baker	7121504-04	Air	12/13/17 14:55	12/15/17 10:15
Acorn and Hwy 44	7121504-05	Air	12/13/17 14:43	12/15/17 10:15
Ochsner Hospital	7121504-06	Air	12/13/17 14:36	12/15/17 10:15
East St. John the Baptist High	7121504-07	Air	12/13/17 14:31	12/15/17 10:15
238 Chad Baker	7121915-01	Air	12/16/17 14:07	12/19/17 10:32
East St. John the Baptist High	7121915-02	Air	12/16/17 13:46	12/19/17 10:32
Levee C1	7121915-03	Air	12/16/17 14:00	12/19/17 10:32
Levee C2	7121915-04	Air	12/16/17 14:00	12/19/17 10:32
Fifth Ward Elementary School	7121915-05	Air	12/16/17 14:04	12/19/17 10:32
Ochsner Hospital	7121915-06	Air	12/16/17 13:50	12/19/17 10:32
Acorn and Hwy 44	7121915-07	Air	12/16/17 13:56	12/19/17 10:32
East St. John the Baptist High	7122113-01	Air	12/19/17 14:32	12/21/17 10:23
238 Chad Baker C1	7122113-02	Air	12/19/17 14:56	12/21/17 10:23
238 Chad Baker C2	7122113-03	Air	12/19/17 14:56	12/21/17 10:23
Acorn and Hwy 44	7122113-04	Air	12/19/17 14:45	12/21/17 10:23
Ochsner Hospital	7122113-05	Air	12/19/17 14:38	12/21/17 10:23
Fifth Ward Elementary School	7122113-06	Air	12/19/17 14:52	12/21/17 10:23
Fifth Ward Elementary School	7122720-01	Air	12/22/17 12:02	12/27/17 10:50
East St. John the Baptist High	7122720-02	Air	12/22/17 11:42	12/27/17 10:50
East St. John the Baptist High	7122720-03	Air	12/22/17 11:42	12/27/17 10:50

Eastern Research Group

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

**ATTN:** Mr. Dave Shelow & Ms Fran Verhalen

**PHONE:** (919) 541-3776 **FAX:** -

**FILE #:** 0344.00

**REPORTED:** 01/12/18 11:32

**SUBMITTED:** 01/02/18 to 12/29/17

**AQS SITE CODE:**

**SITE CODE:** Chloroprene

Ochsner Hospital	7122720-04	Air	12/22/17 11:48	12/27/17 10:50
Acorn and Hwy 44	7122720-05	Air	12/22/17 11:55	12/27/17 10:50
Levee	7122720-06	Air	12/22/17 11:58	12/27/17 10:50
238 Chad Baker	7122720-07	Air	12/22/17 12:05	12/27/17 10:50
Acorn and Hwy 44 C1	7122825-01	Air	12/25/17 15:15	12/28/17 10:54
East St. John the Baptist Hig	7122825-02	Air	12/25/17 15:05	12/28/17 10:54
Ochsner Hospital	7122915-01	Air	12/25/17 15:09	12/29/17 12:00
Fifth Ward Elementary Schoo	7122915-02	Air	12/25/17 15:22	12/29/17 12:00
Levee	7122915-03	Air	12/25/17 15:19	12/29/17 12:00
238 Chad Baker	7122915-04	Air	12/25/17 15:25	12/29/17 12:00
Acorn and Hwy 44 C2	7122915-05	Air	12/25/17 15:15	12/29/17 12:00
Acorn and Hwy 44	8010211-01	Air	12/28/17 14:08	01/02/18 09:35
Fifth Ward Elementary Schoo	8010211-02	Air	12/28/17 13:54	01/02/18 09:35
Fifth Ward Elementary Schoo	8010211-03	Air	12/28/17 14:15	01/02/18 09:35
East St. John the Baptist Hig	8010211-04	Air	12/28/17 13:54	01/02/18 09:35
Ochsner Hospital	8010211-05	Air	12/28/17 14:00	01/02/18 09:35
Levee	8010211-06	Air	12/28/17 14:11	01/02/18 09:35
238 Chad Baker	8010211-07	Air	12/28/17 14:18	01/02/18 09:35
Fifth Ward Elementary Schoo	8010322-01	Air	12/31/17 14:06	01/03/18 11:07
Fifth Ward Elementary Schoo	8010322-02	Air	12/31/17 14:06	01/03/18 11:07
Ochsner Hospital	8010322-03	Air	12/31/17 13:51	01/03/18 11:07
Levee	8010322-04	Air	12/31/17 14:03	01/03/18 11:07
East St. John the Baptist Hig	8010322-05	Air	12/31/17 13:48	01/03/18 11:07
Acorn and Hwy 44	8010322-06	Air	12/31/17 13:59	01/03/18 11:07
238 Chad Baker	8010322-07	Air	12/31/17 14:09	01/03/18 11:07



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Fifth Ward Elementary School

Lab ID: 7121504-01

Sampled: 12/13/17 14:51

Pressure @ Receipt: 6.50" Hg

Canister #: 19276

Received: 12/15/17 10:15

Comments: PR-15 Start 14:51 12/12/17

Analyzed: 12/21/17 20:54

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	0.005	0.02	U	0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Levee C1

Lab ID: 7121504-02

Sampled: 12/13/17 14:48

Pressure @ Receipt: 4.00" Hg

Canister #: 22324

Received: 12/15/17 10:15

Comments: Col 1 PR-22 Start 14:48 12/12/17

Analyzed: 12/21/17 21:56

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	0.316	1.15		0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Levee C2

Lab ID: 7121504-03

Sampled: 12/13/17 14:48

Pressure @ Receipt: 6.50" Hg

Canister #: 5145

Received: 12/15/17 10:15

Comments: Col 2 PR-2 Start 14:48 12/12/17

Analyzed: 12/21/17 22:58

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	0.324	1.18		0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: 238 Chad Baker

Lab ID: 7121504-04

Sampled: 12/13/17 14:55

Pressure @ Receipt: 6.50" Hg

Canister #: 18826

Received: 12/15/17 10:15

Comments: PR-24 Start 14:55 12/12/17

Analyzed: 12/22/17 02:03

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	0.008	0.03	U	0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Acorn and Hwy 44

Lab ID: 7121504-05

Sampled: 12/13/17 14:43

Pressure @ Receipt: 7.00" Hg

Canister #: SAT014

Received: 12/15/17 10:15

Comments: PR-18 Start 14:43 12/12/17

Analyzed: 12/22/17 03:05

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	0.078	0.28		0.020





## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Ochsner Hospital

Lab ID: 7121504-06

Sampled: 12/13/17 14:36

Pressure @ Receipt: 6.50" Hg

Canister #: 19643

Received: 12/15/17 10:15

Comments: PR-23 Start 14:36 12/12/17

Analyzed: 12/22/17 04:06

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	0.135	0.49		0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: East St. John the Baptist High

Lab ID: 7121504-07

Sampled: 12/13/17 14:31

Pressure @ Receipt: 6.50" Hg

Canister #: SAT118

Received: 12/15/17 10:15

Comments: PR-8 Start 14:31 12/12/17

Analyzed: 12/22/17 05:08

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	0.087	0.32		0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: 238 Chad Baker

Lab ID: 7121915-01

Sampled: 12/16/17 14:07

Pressure @ Receipt: 6.50" Hg

Canister #: SAT088

Received: 12/19/17 10:32

Comments: PR-24 Start 14:02 12/15/17

Analyzed: 12/22/17 06:10

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	0.282	1.02		0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

**ATTN:** Mr. Dave Shelow & Ms Fran Verhalen

**PHONE:** (919) 541-3776 **FAX:** -

**FILE #:** 0344.00

**REPORTED:** 01/12/18 11:32

**SUBMITTED:** 01/02/18 to 12/29/17

**AQS SITE CODE:**

**SITE CODE:** Chloroprene

**Description:** East St. John the Baptist High

**Lab ID:** 7121915-02

**Sampled:** 12/16/17 13:46

**Pressure @ Receipt:** 6.50" Hg

**Canister #:** A21058

**Received:** 12/19/17 10:32

**Comments:** PR-8 Start 13:38 12/15/17

**Analyzed:** 12/22/17 07:11

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	0.004	0.01	U	0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Levee C1

Lab ID: 7121915-03

Sampled: 12/16/17 14:00

Pressure @ Receipt: 3.00" Hg

Canister #: A22328

Received: 12/19/17 10:32

Comments: Col 1 PR-22 Start 13:55 12/15/17

Analyzed: 12/22/17 08:13

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	0.263	0.95		0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Levee C2

Lab ID: 7121915-04

Sampled: 12/16/17 14:00

Pressure @ Receipt: 6.00" Hg

Canister #: SAT042

Received: 12/19/17 10:32

Comments: Col 2 PR-2 Start 13:55 12/15/17

Analyzed: 12/22/17 09:15

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	0.251	0.91		0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Fifth Ward Elementary School

Lab ID: 7121915-05

Sampled: 12/16/17 14:04

Pressure @ Receipt: 6.50" Hg

Canister #: A21098

Received: 12/19/17 10:32

Comments: PR-15 Start 13:58 12/15/17

Analyzed: 12/22/17 12:20

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	0.256	0.93		0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Ochsner Hospital

Lab ID: 7121915-06

Sampled: 12/16/17 13:50

Pressure @ Receipt: 6.00" Hg

Canister #: SAT077

Received: 12/19/17 10:32

Comments: PR-23 Start 13:43 12/15/17

Analyzed: 12/22/17 13:22

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	0.005	0.02	U	0.020





## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Acorn and Hwy 44

Lab ID: 7121915-07

Sampled: 12/16/17 13:56

Pressure @ Receipt: 6.50" Hg

Canister #: 19645

Received: 12/19/17 10:32

Comments: PR-18 Start 13:50 12/15/17

Analyzed: 12/22/17 14:23

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	0.006	0.02	U	0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: East St. John the Baptist High

Lab ID: 7122113-01

Sampled: 12/19/17 14:32

Pressure @ Receipt: 8.00" Hg

Canister #: SAT029

Received: 12/21/17 10:23

Comments: PR-8 Start 14:32 12/18/17

Analyzed: 01/04/18 16:31

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	0.160	0.58		0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: 238 Chad Baker C1

Lab ID: 7122113-02

Sampled: 12/19/17 14:56

Pressure @ Receipt: 4.50" Hg

Canister #: A21069

Received: 12/21/17 10:23

Comments: Col 1 PR-22 Start 14:56 12/18/17

Analyzed: 01/04/18 17:32

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	0.967	3.51		0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: 238 Chad Baker C2

Lab ID: 7122113-03

Sampled: 12/19/17 14:56

Pressure @ Receipt: 8.00" Hg

Canister #: A21071

Received: 12/21/17 10:23

Comments: Col 2 PR-24 Start 14:56 12/18/17

Analyzed: 01/04/18 18:34

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	1.03	3.74		0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Acorn and Hwy 44

Lab ID: 7122113-04

Sampled: 12/19/17 14:45

Pressure @ Receipt: 8.00" Hg

Canister #: SAT165

Received: 12/21/17 10:23

Comments: PR-18 Start 14:45 12/18/17

Analyzed: 01/04/18 21:40

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	ND	ND	U	0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Ochsner Hospital

Lab ID: 7122113-05

Sampled: 12/19/17 14:38

Pressure @ Receipt: 7.50" Hg

Canister #: SAT078

Received: 12/21/17 10:23

Comments: PR-23 Start 14:38 12/18/17

Analyzed: 01/04/18 22:41

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	ND	ND	U	0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Fifth Ward Elementary School

Lab ID: 7122113-06

Sampled: 12/19/17 14:52

Pressure @ Receipt: 8.00" Hg

Canister #: A21088

Received: 12/21/17 10:23

Comments: PR-15 Start 14:52 12/18/17

Analyzed: 01/04/18 23:43

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	3.40	12.30		0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Fifth Ward Elementary School

Lab ID: 7122720-01

Sampled: 12/22/17 12:02

Pressure @ Receipt: 8.50" Hg

Canister #: A21010

Received: 12/27/17 10:50

Comments: PR-15 Start 12:02 12/21/17

Analyzed: 01/05/18 00:45

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	ND	ND	U	0.020





## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: East St. John the Baptist High

Lab ID: 7122720-02

Sampled: 12/22/17 11:42

Pressure @ Receipt: 8.50" Hg

Canister #: SAT028

Received: 12/27/17 10:50

Comments: Col 1 PR-8 Start 11:42 12/21/17

Analyzed: 01/05/18 01:46

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	0.396	1.44		0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: East St. John the Baptist High

Lab ID: 7122720-03

Sampled: 12/22/17 11:42

Pressure @ Receipt: 5.00" Hg

Canister #: SAT012

Received: 12/27/17 10:50

Comments: Col 2 PR-22 Start 11:42 12/21/17

Analyzed: 01/05/18 02:48

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	0.387	1.40		0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Ochsner Hospital

Lab ID: 7122720-04

Sampled: 12/22/17 11:48

Pressure @ Receipt: 8.00" Hg

Canister #: SAT160

Received: 12/27/17 10:50

Comments: PR-23 Start 11:48 12/21/17

Analyzed: 01/05/18 05:54

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	0.071	0.26		0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Acorn and Hwy 44

Lab ID: 7122720-05

Sampled: 12/22/17 11:55

Pressure @ Receipt: 9.00" Hg

Canister #: 18865

Received: 12/27/17 10:50

Comments: PR-18 Start 11:55 12/21/17

Analyzed: 01/05/18 06:57

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	ND	ND	U	0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Levee

Lab ID: 7122720-06

Sampled: 12/22/17 11:58

Pressure @ Receipt: 9.00" Hg

Canister #: SAT018

Received: 12/27/17 10:50

Comments: PR-2 Start 11:58 12/21/17

Analyzed: 01/05/18 07:58

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	ND	ND	U	0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: 238 Chad Baker

Lab ID: 7122720-07

Sampled: 12/22/17 12:05

Pressure @ Receipt: 8.00" Hg

Canister #: 5148

Received: 12/27/17 10:50

Comments: PR-24 Start 12:05 12/21/17 Sample 30 days past can clean d

Analyzed: 01/05/18 09:00

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	ND	ND	U	0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Acorn and Hwy 44 C1

Lab ID: 7122825-01

Sampled: 12/25/17 15:15

Pressure @ Receipt: 3.50" Hg

Canister #: 19660

Received: 12/28/17 10:54

Comments: Col 1 PR-22 Start 14:48 12/24/17

Analyzed: 01/05/18 20:00

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	0.004	0.01	U	0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: East St. John the Baptist High

Lab ID: 7122825-02

Sampled: 12/25/17 15:05

Pressure @ Receipt: 6.50" Hg

Canister #: SAT023

Received: 12/28/17 10:54

Comments: PR-8 Start 14:38 12/24/17

Analyzed: 01/06/18 00:06

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	0.004	0.01	U	0.020





## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Ochsner Hospital

Lab ID: 7122915-01

Sampled: 12/25/17 15:09

Pressure @ Receipt: 6.00" Hg

Canister #: A21099

Received: 12/29/17 12:00

Comments: PR-23 Start 14:41 12/24/17

Analyzed: 01/06/18 01:08

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	ND	ND	U	0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Fifth Ward Elementary School

Lab ID: 7122915-02

Sampled: 12/25/17 15:22

Pressure @ Receipt: 6.00" Hg

Canister #: 18828

Received: 12/29/17 12:00

Comments: PR-15 Start 14:54 12/24/17

Analyzed: 01/06/18 02:09

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	0.771	2.80		0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Levee

Lab ID: 7122915-03

Sampled: 12/25/17 15:19

Pressure @ Receipt: 6.00" Hg

Canister #: A21074

Received: 12/29/17 12:00

Comments: PR-2 Start 14:51 12/24/17

Analyzed: 01/06/18 03:11

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	1.54	5.59		0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: 238 Chad Baker

Lab ID: 7122915-04

Sampled: 12/25/17 15:25

Pressure @ Receipt: 6.50" Hg

Canister #: SAT015

Received: 12/29/17 12:00

Comments: PR-24 Start 14:56 12/24/17

Analyzed: 01/06/18 04:12

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	0.156	0.57		0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Acorn and Hwy 44 C2

Lab ID: 7122915-05

Sampled: 12/25/17 15:15

Pressure @ Receipt: 7.50" Hg

Canister #: 5021

Received: 12/29/17 12:00

Comments: Col 2 PR-18 Start 14:48 12/24/17

Analyzed: 01/05/18 21:02

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	0.003	0.01	U	0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Acorn and Hwy 44

Lab ID: 8010211-01

Sampled: 12/28/17 14:08

Pressure @ Receipt: 8.00" Hg

Canister #: 5069

Received: 01/02/18 09:35

Comments: PR-18 Start 13:20 12/27/17

Analyzed: 01/06/18 05:14

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	0.005	0.02	U	0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Fifth Ward Elementary School

Lab ID: 8010211-02

Sampled: 12/28/17 13:54

Pressure @ Receipt: 7.00" Hg

Canister #: A22304

Received: 01/02/18 09:35

Comments: Col 1 PR-22 Start 13:07 12/27/17- C2 time difference

Analyzed: 01/06/18 06:17

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	0.291	1.06		0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Fifth Ward Elementary School

Lab ID: 8010211-03

Sampled: 12/28/17 14:15

Pressure @ Receipt: 7.00" Hg

Canister #: SAT039

Received: 01/02/18 09:35

Comments: Col 2 PR-15 Start 13:26 12/27/17- C1 time difference

Analyzed: 01/06/18 07:18

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	0.302	1.10		0.020





## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: East St. John the Baptist High

Lab ID: 8010211-04

Sampled: 12/28/17 13:54

Pressure @ Receipt: 7.50" Hg

Canister #: 5143

Received: 01/02/18 09:35

Comments: PR-8 Start 13:07 12/27/17

Analyzed: 01/06/18 10:23

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	0.004	0.01	U	0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Ochsner Hospital

Lab ID: 8010211-05

Sampled: 12/28/17 14:00

Pressure @ Receipt: 6.00" Hg

Canister #: A22329

Received: 01/02/18 09:35

Comments: PR-23 Start 13:12 12/27/17

Analyzed: 01/06/18 11:24

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	ND	ND	U	0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Levee

Lab ID: 8010211-06

Sampled: 12/28/17 14:11

Pressure @ Receipt: 6.50" Hg

Canister #: A21001

Received: 01/02/18 09:35

Comments: PR-2 Start 13:23 12/27/17

Analyzed: 01/06/18 12:26

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	0.129	0.47		0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: 238 Chad Baker

Lab ID: 8010211-07

Sampled: 12/28/17 14:18

Pressure @ Receipt: 7.00" Hg

Canister #: SAT180

Received: 01/02/18 09:35

Comments: PR-24 Start 13:30 12/27/17

Analyzed: 01/06/18 13:27

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	0.004	0.01	U	0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Fifth Ward Elementary School

Lab ID: 8010322-01

Sampled: 12/31/17 14:06

Pressure @ Receipt: 7.50" Hg

Canister #: 19653

Received: 01/03/18 11:07

Comments: Col 1 PR-15 Start 14:06 12/30/17

Analyzed: 01/08/18 22:05

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	2.59	9.40		0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Fifth Ward Elementary School

Lab ID: 8010322-02

Sampled: 12/31/17 14:06

Pressure @ Receipt: 7.50" Hg

Canister #: 19278

Received: 01/03/18 11:07

Comments: Col 2 PR-22 Start 14:06 12/30/17

Analyzed: 01/08/18 23:07

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	3.31	12.00		0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Ochsner Hospital

Lab ID: 8010322-03

Sampled: 12/31/17 13:51

Pressure @ Receipt: 7.00" Hg

Canister #: 18878

Received: 01/03/18 11:07

Comments: PR-23 Start 13:51 12/30/17

Analyzed: 01/09/18 02:12

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	ND	ND	U	0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Levee

Lab ID: 8010322-04

Sampled: 12/31/17 14:03

Pressure @ Receipt: 7.00" Hg

Canister #: 18830

Received: 01/03/18 11:07

Comments: PR-2 Start 14:03 12/30/17

Analyzed: 01/09/18 03:14

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	1.17	4.25		0.020





## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: East St. John the Baptist High

Lab ID: 8010322-05

Sampled: 12/31/17 13:48

Pressure @ Receipt: 7.00" Hg

Canister #: A21022

Received: 01/03/18 11:07

Comments: PR-8 Start 13:48 12/30/17

Analyzed: 01/09/18 04:15

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	ND	ND	U	0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Acorn and Hwy 44

Lab ID: 8010322-06

Sampled: 12/31/17 13:59

Pressure @ Receipt: 8.00" Hg

Canister #: 19651

Received: 01/03/18 11:07

Comments: PR-18 Start 13:59 12/30/17

Analyzed: 01/09/18 05:17

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	ND	ND	U	0.020



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: 238 Chad Baker

Lab ID: 8010322-07

Sampled: 12/31/17 14:09

Pressure @ Receipt: 7.00" Hg

Canister #: SAT172

Received: 01/03/18 11:07

Comments: PR-24 Start 14:09 12/30/17

Analyzed: 01/09/18 06:19

### Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m<sup>3</sup></u>		<u>ppbv</u>
Chloroprene	1.86	6.75		0.020



# CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

## Air Toxics by EPA Compendium Method TO-15 - Quality Control

### Batch B7L2106 - Summa Canister Prep

#### Blank (B7L2106-BLK1)

Prepared: 12/18/17 Analyzed: 12/21/17

Chloroprene	ND	ppbv				U
-------------	----	------	--	--	--	---

#### Duplicate (B7L2106-DUP1)

Source: 7121504-02 Prepared: 12/13/17 Analyzed: 12/22/17

Chloroprene	0.311	ppbv	0.32	1.66	25	
-------------	-------	------	------	------	----	--

#### Duplicate (B7L2106-DUP2)

Source: 7121504-03 Prepared: 12/13/17 Analyzed: 12/22/17

Chloroprene	0.309	ppbv	0.32	4.83	25	
-------------	-------	------	------	------	----	--

#### Duplicate (B7L2106-DUP3)

Source: 7121915-03 Prepared: 12/16/17 Analyzed: 12/22/17

Chloroprene	0.257	ppbv	0.26	2.27	25	
-------------	-------	------	------	------	----	--

#### Duplicate (B7L2106-DUP4)

Source: 7121915-04 Prepared: 12/16/17 Analyzed: 12/22/17

Chloroprene	0.243	ppbv	0.25	3.04	25	
-------------	-------	------	------	------	----	--

### Batch B8A0403 - Summa Canister Prep

#### Blank (B8A0403-BLK1)

Prepared & Analyzed: 01/04/18

Chloroprene	ND	ppbv				U
-------------	----	------	--	--	--	---

#### Duplicate (B8A0403-DUP1)

Source: 7122113-02 Prepared: 12/19/17 Analyzed: 01/04/18

Chloroprene	0.988	ppbv	0.97	2.16	25	
-------------	-------	------	------	------	----	--

#### Duplicate (B8A0403-DUP2)

Source: 7122113-03 Prepared: 12/19/17 Analyzed: 01/04/18

Chloroprene	1.05	ppbv	1.03	1.76	25	
-------------	------	------	------	------	----	--

#### Duplicate (B8A0403-DUP3)

Source: 7122720-02 Prepared: 12/22/17 Analyzed: 01/05/18

Chloroprene	0.412	ppbv	0.40	3.96	25	
-------------	-------	------	------	------	----	--

#### Duplicate (B8A0403-DUP4)

Source: 7122720-03 Prepared: 12/22/17 Analyzed: 01/05/18

Chloroprene	0.390	ppbv	0.39	0.824	25	
-------------	-------	------	------	-------	----	--

### Batch B8A0506 - Summa Canister Prep

#### Blank (B8A0506-BLK1)

Prepared: 12/29/17 Analyzed: 01/05/18

Chloroprene	ND	ppbv				U
-------------	----	------	--	--	--	---

#### Duplicate (B8A0506-DUP1)

Source: 7122825-01 Prepared: 12/25/17 Analyzed: 01/05/18

Chloroprene	ND	ppbv	ND		25	U
-------------	----	------	----	--	----	---

#### Duplicate (B8A0506-DUP2)

Source: 7122915-05 Prepared: 12/25/17 Analyzed: 01/05/18

Chloroprene	ND	ppbv	ND		25	U
-------------	----	------	----	--	----	---

#### Duplicate (B8A0506-DUP3)

Source: 8010211-02 Prepared: 12/28/17 Analyzed: 01/06/18

Chloroprene	0.297	ppbv	0.29	2.11	25	
-------------	-------	------	------	------	----	--

#### Duplicate (B8A0506-DUP4)

Source: 8010211-03 Prepared: 12/28/17 Analyzed: 01/06/18

Chloroprene	0.309	ppbv	0.30	2.13	25	
-------------	-------	------	------	------	----	--

### Batch B8A0809 - Summa Canister Prep

#### Blank (B8A0809-BLK1)

Prepared: 12/29/17 Analyzed: 01/08/18

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

### Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B8A0809 - Summa Canister Prep

#### Blank (B8A0809-BLK1) Continued

Prepared: 12/29/17 Analyzed: 01/08/18

Chloroprene	ND	ppbv				U
-------------	----	------	--	--	--	---

#### Duplicate (B8A0809-DUP1)

Source: 8010322-01 Prepared: 12/31/17 Analyzed: 01/09/18

Chloroprene	2.66	ppbv	2.59	2.82	25	
-------------	------	------	------	------	----	--

#### Duplicate (B8A0809-DUP2)

Source: 8010322-02 Prepared: 12/31/17 Analyzed: 01/09/18

Chloroprene	3.30	ppbv	3.31	0.305	25	
-------------	------	------	------	-------	----	--



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 01/12/18 11:32

SUBMITTED: 01/02/18 to 12/29/17

AQS SITE CODE:

SITE CODE: Chloroprene

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

### Air Toxics by EPA Compendium Method TO-15 - Quality Control

#### Sequence 1712047

##### Calibration Check (1712047-CCV1)

Prepared & Analyzed: 12/21/17

Chloroprene	2.61	ppbv	6.3	30.00
-------------	------	------	-----	-------

#### Sequence 1801009

##### Calibration Check (1801009-CCV1)

Prepared & Analyzed: 01/04/18

Chloroprene	2.49	ppbv	1.3	30.00
-------------	------	------	-----	-------

#### Sequence 1801014

##### Calibration Check (1801014-CCV1)

Prepared & Analyzed: 01/05/18

Chloroprene	2.32	ppbv	-5.9	30.00
-------------	------	------	------	-------

#### Sequence 1801018

##### Calibration Check (1801018-CCV1)

Prepared & Analyzed: 01/08/18

Chloroprene	2.29	ppbv	-6.9	30.00
-------------	------	------	------	-------



## CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

**ATTN:** Mr. Dave Shelow & Ms Fran Verhalen

**PHONE:** (919) 541-3776 **FAX:** -

**FILE #:** 0344.00

**REPORTED:** 01/12/18 11:32

**SUBMITTED:** 01/02/18 to 12/29/17

**AQS SITE CODE:**

**SITE CODE:** Chloroprene

### Notes and Definitions

U	Under Detection Limit
ND	Analyte NOT DETECTED
NR	Not Reported
MDL	Method Detection Limit
RPD	Relative Percent Difference

Note: The test results meet all requirements of NELAC; however the following analytes are not accredited: 1,2,4-trimethylbenzene, 1,2-dibromoethane, 1,2-dichloropropane, 1,3,5-trimethylbenzene, 1,3-butadiene, acetylene, acrolein, bromochloromethane, bromodichloromethane, bromoform, carbon disulfide, dibromochloromethane, dichlorodifluoromethane, dichlorotetrafluoroethane, ethyl acrylate, ethyl tert butyl ether, hexachloro-1,3-butadiene, octane, propylene, tert amyl methyl ether, tetrachloroethylene, tran-1,2-dichloroethylene, trichlorofluoromethane, and trichlorotrifluoroethane.